

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

LarvaBETA® Insecticide

ACTIVE CONSTITUENTS: 125 g/L BETACYFLUTHRIN
25 g/L PYRIPROXYFEN

| | | |
|-------|-------|-------------|
| GROUP | 3A 7C | INSECTICIDE |
|-------|-------|-------------|

For the control of litter beetle in poultry sheds

[IMPORTANT: Read the attached booklet before use]

[IMPORTANT: Read this booklet before use]

Contents: 250 mL – 1000 L

GENERAL INSTRUCTIONS

Mixing

Prior to pouring, shake container vigorously, then add the required quantity of LarvaBETA® Insecticide to water while stirring.

Application

Do not spray the moving parts of machinery, electric motors or switch gear with this water-based product.

PRECAUTIONS

For surface treatment only – do not spray into atmosphere using foggers or other devices designed to create an aerosol.

Do not spray directly onto livestock, their food, water, litter, feed bins or surfaces that are accessible to the stock.

DO NOT apply using spraying equipment carried on the back of the user.

Insecticide Resistance Warning

| | | |
|-------|-------|-------------|
| GROUP | 3A 7C | INSECTICIDE |
|-------|-------|-------------|

For insecticide resistance management LarvaBETA® is a Group **3A** and **7C** insecticide. Some naturally occurring insect biotypes resistant to LarvaBETA® and other Group **3A** and **7C** insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if LarvaBETA® or other Group **3A** and **7C** insecticides are used repeatedly. The effectiveness of LarvaBETA® on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Sundew Solutions Pty Ltd accepts no liability for any losses that may result from failure of LarvaBETA® to control resistant insects. LarvaBETA® may be subject to specific resistance management strategies. For further information contact your local supplier, or Sundew Solutions representative.

DIRECTIONS FOR USE

| SITUATION | RATE | PEST | CRITICAL COMMENTS |
|---------------|---------------------|---------------|---|
| Poultry sheds | 80 mL/50 L water | Litter beetle | Apply 1 L of spray mix per 10 m ² of surface. Treat when litter is being totally replaced. Remove all old litter from shed. Do not replace litter until shed is thoroughly dry. Apply diluted spray to shed walls, ceiling and floor. Spray feed shed and other places where beetles may hide. Avoid contamination of chicken feed and do not allow spray to reach birds in neighbouring shed. |

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS
 AUTHORISED UNDER APPROPRIATE LEGISLATION**

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. Do not contaminate ponds, waterways or drains with this product or used container.

STORAGE AND DISPOSAL

Store in the original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. Do not inhale vapour and spray mist. When preparing and using the product, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length chemical resistant gloves. Thoroughly ventilate treated areas before reoccupying. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131126 or New Zealand 0800 764 766. Remove from contaminated area. Apply artificial respiration if not breathing.

MATERIAL SAFETY DATA SHEET

Additional Information is listed in the Material Safety Data Sheet.

LIMITATION OF LIABILITY

This product is designed only for the particular purposes indicated on this label. Failure to use this product strictly as directed may be illegal; prove dangerous; render the product ineffective and void any Warranty or Liability of Sundew Solutions Pty Ltd. So far as it is lawfully able to do so, Sundew Solutions Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

LarvaBETA[®] is a Registered Trademark of Sundew Solutions Pty Ltd

Sundew Solutions Pty Ltd
Unit 11, 4 Dunlop Court
Bayswater Victoria 3153
Phone 1800 786 339
www.sundewsolutions.com.au

APVMA Approval Number 84858/111568

DOM:

BN: